


NFRC Certification

Nuweld-II DH		U Factor	SHGC	Vis Transmit	CRF	Energy Star
Clear	No Grid	0.47	0.61	0.64	45	N/A
Clear	With Grid	0.47	0.55	0.57	45	N/A
Low-E2-270	No Grid	0.34	0.29	0.55	56	SC
Low-E2-270	With Grid	0.34	0.26	0.49	56	SC/S
Low-E2/240	No Grid	0.34	0.20	0.31	55	SC/S
Low-E2/240	With Grid	0.36	0.18	0.27	54	S
Low-E3-366	No Grid	0.33	0.22	0.50	55	SC/S
Low-E3-366	With Grid	0.35	0.20	0.44	55	SC/S
Low-E2/Argon	No Grid	0.31	0.29	0.55	60	NC/SC
Low-E2/Argon	With Grid	0.31	0.26	0.49	60	NC/SC/S
Low-E2/240 w/Argon	No Grid	0.31	0.20	0.31	58	NC/SC/S
Low-E2/240 w/Argon	With Grid	0.32	0.18	0.27	58	SC/S
Low-E3/Argon	No Grid	0.30	0.21	0.50	59	All ZONES
Low-E3/Argon	With Grid	0.31	0.19	0.44	59	NC/SC/S

N = Northern Climate Zone
 N/C = North/Central Climate Zone
 S/C = South/Central Climate Zone
 S = Southern Climate Zone

