


# NFRC Certification

Westbilt-II SH		U Factor	SHGC	Vis Transmit	CRF	Energy Star
Clear	No Grid	0.48	0.64	0.67	454	N/A
Clear	With Grid	0.48	0.58	0.60	44	N/A
Low-E2-270	No Grid	0.34	0.30	0.57	53	SC
Low-E2-270	With Grid	0.34	0.27	0.51	53	SC/S
Low-E2/240	No Grid	0.34	0.21	0.32	55	SC/S
Low-E2/240	With Grid	0.36	0.19	0.29	55	S
Low-E3-366	No Grid	0.33	0.23	0.52	55	SC/S
Low-E3-366	With Grid	0.35	0.21	0.47	55	SC/S
Low-E2/Argon	No Grid	0.30	0.30	0.57	57	N//NC/SC
Low-E2/Argon	With Grid	0.30	0.27	0.51	57	All ZONES
Low-E2/240 w/Argon	No Grid	0.31	0.21	0.32	58	NC/SC/S
Low-E2/240 w/Argon	With Grid	0.32	0.19	0.29	58	NC/SC/S
Low-E3/Argon	No Grid	0.30	0.21	0.50	59	All ZONES
Low-E3/Argon	With Grid	0.31	0.19	0.44	59	NC/SC/S

N = Northern Climate Zone  
 N/C = North/Central Climate Zone  
 S/C = South/Central Climate Zone  
 S = Southern Climate Zone

