




NFRC Certification

Westweld-II DH		U Factor	SHGC	Vis Transmit	CRF	Energy Star
Clear	No Grid	0.47	0.63	0.66	45	N/A
Clear	With Grid	0.47	0.57	0.59	45	N/A
Low-E2-270	No Grid	0.33	0.30	0.56	56	SC
Low-E2-270	With Grid	0.33	0.27	0.50	56	SC/S
Low-E2/240	No Grid	0.33	0.21	0.32	54	SC/S
Low-E2/240	With Grid	0.35	0.19	0.28	54	SC/S
Low-E3-366	No Grid	0.32	0.22	0.52	55	NC/SC/S
Low-E3-366	With Grid	0.34	0.20	0.46	55	SC/S
Low-E2/Argon	No Grid	0.30	0.30	0.56	60	N/NC/SC
Low-E2/Argon	With Grid	0.30	0.27	0.50	60	All ZONES
Low-E2/240 w/Argon	No Grid	0.30	0.20	0.32	58	All ZONES
Low-E2/240 w/Argon	With Grid	0.31	0.18	0.28	58	NC/SC/S
Low-E3/Argon	No Grid	0.29	0.22	0.52	59	All ZONES
Low-E3/Argon	With Grid	0.30	0.20	0.46	59	NC/SC/S
<p>N = Northern Climate Zone N/C = North/Central Climate Zone S/C = South/Central Climate Zone S = Southern Climate Zone</p>		 <p>ENERGY STAR® for Windows, Doors, and Skylights CLIMATE ZONE MAP</p>  <ul style="list-style-type: none"> ■ Northern ■ North-Central ■ South-Central ■ Southern 				